Registered No. M—1175.

The Mysore Gazette.

Vol. 51.] PUBLISHED BY AUTHORITY. [No. 46.

BANGALORE, THURSDAY, NOVEMBER 23, 1916.

PART V.

Season Report for the Week ending with the 47th Saturday in 1916 (18th November 1916).

	District and Station	Rainfall up to 8 A.M. on Saturday: This week I.	This week c.	Last ten years' average for the corresponding week I.	Last ten years' average for the corresponding week c.	Up to the end of the week from 1st January 1916: This year I.	This year c.	Average of past ten years I.	Average of past ten years c.	Excess (+) or defect (—) of column 4 compared with column 5 I.	Excess (+) or defect (—) of column 4 compared with column 5 c.	Price of food grains in seers per rupee and market fluctuations in prices of food grains	This week	Past week	Past ten years' fortnightly average
1		2		3		4		5		6		7			
BANGALORE.	Bangalore C. & M. Station ...	0	14	...	...	47	55	...	...	...	...				
	„ City & Taluk ...	...	...	0	65	50	64	34	70	+15	94		Seers.	Seers.	Seers.
	Hoskote ...	...	...	0	84	27	94	29	01	— 1	07				
	Dodballapur ...	0	21	0	24	39	14	26	51	+12	63	Rice, 2nd sort.	6·50	6·50	6·25
	Nelamangala ...	1	58	0	45	34	56	29	48	+ 5	08				
	Kankanhalli ...	0	15	0	85	33	28	32	02	+ 1	26	Ragi	16·00	16·00	15·00
	Magadi ...	0	34	0	42	33	44	33	*54	— 0	10	Kulthi	13·50	13·50	11·00
	Channapatna ...	0	07	0	69	43	61	33	38	+10	23	Kadale	7·50	7·50	6·25
	Anekal ...	...	...	0	58	33	98	35	63	— 1	65				
	Devanhalli ...	0	12	0	88	41	47	29	97	+11	50				
	Closepet ...	0	80	1	00	36	81	32	77	+ 4	04				
	District average...	0	32	0	66	37	48	31	70	+ 5	78				
KOLAR.	Kolar ...	0	24	0	58	42	88	27	53	+15	35		Seers	Seers	Seers
	Bowringpet ...	0	25	0	58	36	60	27	44	+ 9	16	Rice, 2nd sort.	8·00	8·00	7·72
	Chintamani ...	1	20	0	72	31	85	25	22	+ 6	63				
	Mulbagal ...	0	53	0	88	32	73	26	95	+ 5	78	Ragi	16·00	16·00	17·23
	Sidlaghatta ...	0	93	0	40	46	56	27	57	+18	99	Kulthi	16·00	16·00	11·75
	Chikballapur ...	0	41	0	27	35	08	26	41	+ 8	67	Kadale	7·50	7·50	9·10
	Bagepalli ...	0	24	0	53	31	98	24	83	+ 7	15				
	Goribidnur ...	0	10	0	25	41	38	28	38	+13	00				
	Malur ...	...	...	0	50	38	63	28	31	+10	32				
	Srinivaspur ...	0	32	0	60	36	02	26	44	+ 9	58				
	Gudibanda ...	0	38	0	47	40	35	30	81	+ 9	54				
	District average...	0	42	0	52	37	64	27	26	+10	38				
TUMKUR.	Tumkur ...	0	65	0	36	42	84	29	48	+13	36				
	Maddagiri ...	0	30	0	49	33	52	27	28	+ 6	24				
	Chiknayakanhalli ...	1	80	0	52	37	10	25	47	+11	63				
	Sira ...	0	16	0	35	46	01	21	32	+24	69	Rice, 2nd sort.	7·00	7·00	8·00
	Gubbi ...	1	57	0	54	52	39	30	15	+22	24				
	Tiptur ...	2	02	0	63	29	28	22	53	+ 6	75	Ragi	18·00	18·00	18·80
	Pavagada ...	...	...	0	77	39	05	19	71	+19	34	Kulthi	16·00	16·00	10·00
	Kunigal ...	1	05	0	55	41	29	29	16	+12	13	Kadale	7·50	7·50	8·80
	Koratagere ...	0	25	0	34	32	81	25	04	+ 7	77				
	Turuvekere ...	4	05	0	57	35	58	26	42	+ 9	16				
	District average ...	1	19	0	51	38	99	25	65	+13	34				

*Correct figure is noted.

	District and Station	Rainfall up to 8 A. M. on Saturday: This week		Last ten years' average for the corresponding week		Up to the end of the week from 1st January 1916: This year		Average of past ten years		Excess (+) or defect (—) of column 4 compared with column 5		Price of food grains in seers per rupee and market fluctuations in prices of food grains			
1		2		3		4		5		6		7			
		I.	c.	I.	c.	I.	c.	I.	c.	I.	c.		This week	Past week	Past ten years' fortnightly average
MYSORE.	Mysore ...	0	18	0	53	43	99	*28	22	+15	77				
	Chamrajnagar ...	1	88	1	00	39	95	25	51	+14	44		Seers	Seers	Seers
	Seringapatam ...	2	18	0	35	39	60	24	95	+14	65	Rice, 2nd sort.	7·00	7·00	6·88
	Hunsur ...	1	06	0	73	49	56	30	05	+19	51				
	Yedatore ...	1	25	0	72	47	31	25	45	+21	86	Ragi	16·00	16·00	14·28
	Heggaddevankote ...	1	00	0	97	44	82	36	67	+ 8	15	Kulthi	18·00	18·00	13·24
	Gundlupet ...	2	10	1	07	34	72	28	04	+ 6	68				
	Nanjangud ...	2	41	0	74	43	78	27	30	+16	48	Kadale	7·50	7·50	7·70
	T.-Narsipur ...	0	47	0	52	41	31	28	14	+13	17				
	Malvalli ...	1	37	0	72	40	06	26	03	+14	03				
	Mandya ...	2	75	0	45	44	17	26	54	+17	63				
	Krishnarajpete ...	2	68	0	73	40	85	27	77	+13	08				
	Nagamangala ...	2	10	0	89	35	56	25	71	+ 9	85				
	District average...	1	65	0	73	41	97	27	72	+14	25				
HASSAN.	Hassan ...	2	39	0	37	42	89	32	86	+10	03				
	Manjarabad (Saklespur)	0	79	0	70	95	38	89	38	+ 6	00	Rice, 2nd sort.	7·50	7·50	7·75
	Arkalgud ...	2	28	0	37	44	16	33	98	+10	18				
	Belur ...	2	59	0	76	43	40	39	57	+ 3	83	Ragi	16·00	17·00	15·50
	Channarayapatna ...	2	22	0	65	37	10	27	43	+ 9	67	Kulthi	16·00	16·00	12·50
	Arsikere ...	2	72	0	32	34	34	26	34	+ 8	00	Kadale	7·00	7·00	7·50
	Hole-Narsipur ...	0	70	0	30	34	35	26	05	+ 8	30				
	Alur (Sub) ...	0	99	0	49	42	03	44	69	— 2	66				
	District average...	1	84	0	50	46	71	40	04	+ 6	67				
SHIMOGA.	Shimoga ...	1	67	0	07	31	16	33	30	— 2	14				
	Channagiri ...	1	75	0	31	35	76	29	40	+ 6	36	Rice, 2nd sort.	7·00	7·00	7·87
	Honnali ...	0	47	0	16	33	63	20	55	+13	08				
	Shikarpur ...	0	86	0	12	43	45	35	25	+ 8	20	Ragi	20·00	20·00	15·80
	Sorab ...	1	29	0	16	72	38	63	75	+ 8	63	Kulthi	14·00	14·00	11·83
	Sagar ...	0	42	0	10	78	81	83	65	— 4	84				
	Nagar (Kallurkatte)...	2	27	0	13	108	26	108	26	...	...				
	Tirthahalli ...	1	53	0	23	123	96	124	04	— 0	08				
	Kumsi ...	0	29	0	13	46	72	40	52	+ 6	20				
	District average...	1	17	0	15	63	79	59	81	+ 3	93				
KADUR.	Chikmagalur ...	1	25	0	50	36	35	37	10	— 0	75		6 to		6 to
	Kadur ...	0	85	0	35	27	38	21	35	+ 6	03	Rice, 2nd sort.	7·50	7·00	7·50
	Tarikere ...	1	32	0	25	33	54	34	46	— 0	92				
	Koppa ...	1	96	0	26	124	79	115	19	+ 9	60	Ragi	16·00	16·00	16·00
	Mudgere ...	0	62	0	54	91	63	93	43	— 1	80	Kulthi	13·00	12·00	12·00
	Narasimharajapura ...	2	50	0	31	83	48	74	76	+ 8	72	Kadale	7·00	6·00	7·00
	Sringeri ...	1	46	0	15	143	11	139	19	+ 3	92				
	District average...	1	42	0	34	77	18	73	64	+ 3	54				
CHITALDRUG.	Chitaldrug ...	0	12	0	36	25	35	22	12	+ 3	23				
	Challakere ...	...	...	0	07	28	28	16	12	+12	16	Rice, 2nd sort.	7·50	7·50	8·00
	Hiriyur ...	0	22	0	22	31	75	22	69	+ 9	06				
	Holalkere ...	0	80	0	24	29	06	22	77	+ 6	29	Ragi	20·00	20·00	20·00
	Davangere ...	0	12	0	12	28	50	22	04	+ 6	46	Kulthi	16·00	16·00	16·00
	Molakalmuru ...	...	...	0	09	28	74	21	82	+ 6	92	Cholum	19·00	19·00	19·00
	Jagalur ...	0	11	0	15	27	17	18	50	+ 8	67	Kadale	8·00	8·00	8·00
	Hosdurga ...	1	21	0	29	29	32	23	84	+ 5	48				
	Harihar ...	0	20	0	04	25	94	18	21	+ 7	73				
	District average...	0	31	0	18	28	24	20	90	+ 7	34				
		...	...	...	...	...	...	...	...	...	...				
	Provincial average...	1	04	0	45	46	50	38	34	+ 8	16				

*The Deputy Commissioner states that in column 3 in the previous week's report, the total for the last ten years for the corresponding week was by oversight entered instead of average for the period and that the error has now been rectified.

NOTE.—Rice (husked)—Oryza Sativa.
Ragi—Eleusine Corocana.
Kulthi—(Horse gram) Dolichos Biflorus.
Cholum—Sorghum Vulgare.
Kadale—(Bengal gram) Ciser Arietinum.

DISTRICT REPORTS.

8. Markets how supplied.

9. Progress of agricultural operations, state of standing crops, prospects and probable outturn of harvests, serious damage done to crops by insects or other natural calamities.

10. Prospects of season, tracts in which the rainfall has been insufficient, areas affected by scarcity, number of people under relief, and state of food stocks.

11. Public health.

12. Remarks as to the condition of agricultural stock, failure of pasturage, of fodder, etc.

BANGALORE CIVIL AND MILITARY STATION.

	Average for the past five years of the corresponding week.	*Current.*	
Prices of food grains—Boiled rice (2nd sort)	7·33	6·90	Quantity per rupee by the standard seer of 80 tolas.
Ragi	13·70	15·47	
Rangoon rice (2nd sort) ...		6·90	

Agricultural operations.—Ragi is being harvested.

Cattle are healthy. Water and fodder are available.

BANGALORE CITY AND TALUKS.

8. Market is well supplied.

9. *Agricultural operations.*—Ragi crop is being harvested.

State of standing crops.—Standing crops are in good condition throughout the district.

Estimated yield of the crops.—Ragi 8 to 14 annas; paddy 12 annas; sugar-cane 10 annas.

Damages to crops.—No damage to crops by insects.

10. Prospects of the season are generally good. Food stocks are available in sufficient quantities. Coolies find sufficient labour.

11. Plague is prevailing in all the taluks, except Dodballapur, Magadi and Closepet Sub-Taluk.

12. Cattle are generally healthy. Fodder and water are available in abundance.

KOLAR.

8. Market is well supplied.

9. *Agricultural operations.*—Raiyats are engaged in reaping ragi crop.

Crops sown.—Paddy in parts of Srinivaspur Taluk and Gudibanda Sub-Taluk.

Crops harvested.—Same in parts of Kolar, Bowringpet, Chintamani and Mulbagal Taluks, yield 8 to 12 annas; groundnuts in parts of Bowringpet Taluk and Gudibanda Sub-Taluk, yield 8 to 12 annas.

Standing crops.—Paddy, sugar-cane, ragi, avare, togari, horse gram and other dry crops are reported to be in good condition.

10. Prospects of season are good. Prices of food grains continue high. Cooly classes find sufficient labour.

11. Plague is prevailing in parts of Kolar, Bowringpet, Mulbagal, Sidlaghatta, Chikballapur, Goribidnur and Malur Taluks. Necessary preventive measures are being adopted to check the spread of the disease.

12. "Neradi roga" and Rinderpest are reported to be prevailing among cattle in parts of Kolar and Bowringpet Taluks, respectively. Pasture, fodder and water are available.

TUMKUR.

8. Market is well supplied.

9. *Crops sown.*—Wheat in parts of Sira Taluk; kadale in parts of Sira and Tiptur Taluks; paddy in parts of Chiknayakanhalli Taluk and coriander in parts of Tiptur Taluk.

Crops harvested.—Tumkur—ragi and groundnuts; Maddagiri—ragi, groundnuts, navane, paddy and save; Chiknayakanhalli—ragi; Sira—ragi, navane, baragu